

www.staron.com www.staronhealthcare.com



right © 2019 LOTTE ADVANCED MATERIALS Co., Ltd. Printed in KORE/





1-855-650-3265 | www.rugbyabp.com





# LOTTE ADVANCED MATERIALS

In 1992, the company commenced the manufacture of acrylic solid surface products marketed under the "Staron" brand, followed by the introduction of the Tempest Collection launched in 2006. The Samsung Group further expanded its decorative surfaces portfolio by introducing "Radianz" engineered, natural quartz surfaces in 2009.

With its drive to become a global supplier of top-tier decorative surfacing materials, Lotte Chemical Corporation launched LOTTE ADVANCED MATERIALS in May of 2016 through its acquisition of Samsung Chemical.

Originally established in 1954 as Cheil Industries, the Samsung Group launched its chemical-business units in 1988 as part of an overall business expansion strategy.

# 2019 LOTTE ADVANCED MATERIALS

LOTTE ADVANCED MATERIALS launched its ABS and PS plants in 1989, signaling its first major step into the market. Since then, the company has been expanding its business rapidly in a variety of categories including poly-carbonate and high-performance decorative surfacing materials.





# **STRETCH YOUR IMAGINATION TO** EXPERIENCE THE POSSIBILITIES WITH STARON.



M

### RELIABLE PERFORMANCE

• Cutting-edge technology sets a new standard in surface

• Able to be inconspicuously repaired due to its homogenous composition



HYGIENIC

SURFACE

condition

TRANSLUCENCY

• Non-porous surface inhibits

growth of mold and bacteria

• Resistant to heat and abrasion • Able to refurbish to a new



#### **IMPERCEPTIBLE** SEAMS

- Consistent color and texture on every sheet provides a smooth and seamless surface
- · Installed without gaps, crevices, or obvious joint-lines
- Creative back-lighting effects created by altering the thickness of the material to allow transmission from a low-energy light source

## WHY STARON?

Staron solid-surface materials boast dimensional flexibility and low maintenance and is ideal for a multitude of interior applications. Comprised of a wide range of color and pattern options, Staron is nonporous, ultra-hygienic and ultimately durable. The Tempest and Supreme collections offer translucent properties combined with elegant, refined patterns.



### DIMENSIONAL FLEXIBILITY

- Thermo-formable into
- threedimensional shapes
- Excellent workability enables virtually unlimited design possibilities



### **INFINITE RANGE OF** COLORS

- Over 150 color options ranging from natural to vivid
- Ongoing collaboration with color trend experts keeps Staron commercially relevant



### GLOBAL NETWORK


• Regional branch offices and product distribution networks worldwide



### RELIABLE QUALITY

- Advanced quality control policy and a commercial 10-year warranty
- Certified eco-friendly by Greenquard and Scientific Certification System

## **COMMERCIAL & PUBLIC SPACES**




Staron surfaces provide seamless and ultra-hygienic components to any residential and commercial area. Pure and neutral solid-colors, such as Staron Bright White, add a modern and contemporary finish to the interior space.



**D3** Bench LOTTE World Tower, Korea


D2 Task Table LOTTE World Tower, Korea








04 Display Fixtures Stewart Weitzman





05 Wall Cladding Mumbai Airport Lounge, India





07 Display

Structure Wall LOTTE World Tower, Korea



06 Media Facade Kumho Art Hall, Korea



80

Information Counter

Library & Learning Centre, Austria

Designed by Zaha Hadid Architect





**D9** Counter London Heathrow Airport, UK





**11** Exhibition Hall Samsung HR Development Center, Korea



## 10

Display Standard Heidi.com Shop, Switzerland

Designed by Zaha Hadid Architect





## **RESIDENTIAL SPACES**

Staron<sup>®</sup> by LOTTE Advanced Materials is becoming a preferred choice among those who prioritize hygienic surface and reliable performance. Achieve the best of both style and quality with Staron<sup>®</sup> that offers non-porous surface and cutting-edge technology for your space.



## 03

Kitchen Countertop Kitchen House

A and S, Germany

Designed by Recker Architekten

Fabricator Holzwerkstatt WINTER







### **04** Kitchen Island

Aarau, Switzerland Designed by

Lammli Architecture





06


Wall Cladding & Table Sheraton walkerhill, Korea





**D5** Kitchen Countertop SUBZERO Showroom, Indonesia





**D7** Wash Bowl, Countertop Oesch Bad, Switzerland





80

Bathtub, Countertop Oesch Bad, Switzerland






**11** Wash Bowl

Marriott Renaissance Hotel Barcelona, Spain

Designed by Jean Nouvel






RESIDENTIAL SPACES

**09** Wash Bowl K&B Showroom, France




**10** Motif Basin Omvivo, Australia Designed by Thomas Coward





## **HEALTHCARE**



### 01

Wall Cladding & Furniture

Dental Hygiene School, Switzerland

Designed by Bern Smile

| • |  |
|---|--|
|   |  |
|   |  |
|   |  |

Durable and ultra hygienic Staron<sup>®</sup> Solid Surfaces offer unparalleled design flexibility, color selection and ease of maintenance and repair— all while exceeding stringent commercial healthcare standards.







### 02 Countertop

Geneva University Hospital, . Switzerland







**D3** Integral Sinks Barmherzige Schwestern Hospital, Austria





**04** Nurses' Station Rizk Hospital, Lebanon



Architect Pierre Saadeh





**D7** Patient's Room Fixture Samsung Seoul Atopycenter, Korea





05

St .Joe's Healthcare, USA

Nurses' Station

**06** Information Desk

King Hamad Oncology Center, Bahrain



## **CREATIVE WORKS**

## 01

Art-work Designed by Markus Benesch, Germany





Think beyond your imagination with the colorful assortment of patterns offered by the unique properties of Staron® Solid Surfaces. With colors ranging from solids to dazzling metallics, Staron® can accommodate a multitude of design options.



**O4** Humpback Whale Island Kitchen









**05** Zebra Table













## **URBAN SERIES PROPOSAL**

Simple, modern and sophisticated. Staron's Urban Collection is characterized by understated, industrially inspired colors – perfect for commercial spaces as well as minimalist residential applications.

### 1. Urban Outlook Contrast / Brilliant & Essential / Texture





Sanded HeronQuarry StarredSH428QS287



Metallic Sleek Siver Sanded Goose ES581 SG428

## **FACADE SOLUTION**

Explore your limits with the infinitely versatile and durable surface. Staron offers endless design potentials that meet the demands of any space, including exterior cladding.

### 1. Seamless joint



### 2. Effortless Beauty Sleek / Neutral / Contemporary





### **3. CNC fabrication**



durable surface.

### 2. Dimensional flexibility

### 4. Lighting effect

Supreme™

### THE SUPREME COLLECTION

The variegated patterns of the Supreme Collection offers relaxed aqueous textures to neutral surfaces that can embellish any interior aesthetics. Staron's high durability features make it the ideal surfacing material for any unique and distinctive fixtures.




### Nature's Art & Movement



01 Kitchen

VM114



## 03

Kitchen Countertop Ocean View V0171







**04** Information Desk Cloudbank VC118





**D7** Kitchen Countertop Natural Bridge VN144





Dandelion VD175







06 Information Desk Magnolia VM143





**08** Kitchen Countertop

Urban Grey VU127



# NEW COLORS

• To view new colors in detail, please visit <u>www.staron.com</u>

Aspen Eggshell AE642

32

Tempest Coconut FC112

> Supreme Reno VR184

• Printed representation of colors may vary from actual samples.

Tempest Bamboo FB173

> Supreme Elbert VE111

Supreme Rainier VR173

## **COLORS OF STARON**

### SUPREME





Delphi VD111



Beige Granite VB172



Ocean View V0171



Natural Bridge VN144





### Dawn VD126



Pastoral VP177



Presto VP159

#### Cotton White VC110

#### Cloudbank VC118



### Magnolia VM143



#### Rainier VR173



### Dandelion VD175



NEW Elbert VE111



### Urban Grey VU127



Loam VL155




Peak

FP100

Glimmer

FG144







Caraway



FC155





Igneous FI187

NEW

NEW



SANDED

Sanded Icicle

Sanded Papyrus

SI414

SP474






Sanded Birch SB412

SM465





Sanded White Pepper Sanded Meadow WP410



Sanded Grey SG420 ST486

Sanded Taupe

Sanded Tundra ST482





Bamboo FB173



Bronzestar FB154



Horizon FH114



Whippoorwill FW145



Shell FS115



Coffee Bean FC158



Prairie FP142



Radiance(Shimmer) FR148



lvory . SI040

Tusk ST015

Placid SP062

Onyx . 0N095

SL443

SV430



Sanded Cornmeal SC433



Sanded Clay SC475



Sanded Sahara SS440



Sanded Mocha SM453



Sanded Gold Dust SG441




Sanded Chestnut SC457



Sanded Vermillion

S0423


### ASPEN



# **SINKS & BOWLS**

## **ADA Compliant**

Staron solid surface sinks and bowls are installed with the all-acrylic sheet in a seamless appearance for a smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, thus Staron's nonporous solid surfaces are the most desirable choice for hygienic interior commercial applications. Staron sinks come in three following colors in ten popular models:



**Mosaic Dalmatian** 

QD212



**Quarry Starred** OS287

Aspen Concrete

Pebble TeaRose

PT845

. AC629

Metallic Yukon

**Eco-Friendly Materials, Staron** 

Printed representation of colors may vary from actual samples. Please review actual sample prior to selection.

- To view new colors in greater detail, please visit www.staron.com
- These colors may require extra care and maintenance; consult with your Staron processor for the best use of these colors.







MOUNTING OPTIONS

### Under mount

A 29-1/2" (750mm)

B 15-3/4" (400mm)

C 17-3/4" (451mm)

D 27-9/16" [700mm]


E 6-15/16" (177mm)

F 7-1/2" (190mm)

### Angled mount

- B 15-3/4" (400mm) C 17-3/4" (451mm) D 15-3/4" (400mm) E 6-15/16" [177mm] F 7-1/2" (190mm)

A 17-3/4" (451mm)



#### B3180

C 18-1/8" (460mm) D 15-3/4" (400mm) E 8-3/16" [208mm] F 8-7/8" (225mm)



### A1181

- **KITCHEN / UTILITY SINKS**
- G 6-13/16" [173mm]
- F 6-1/8" (156mm)

 $O(\Theta)$ 

A 31-1/4" (794mm)

B 4-15/16" [110mm]

C 16-9/16" [421mm]

D 18-15/16" [481mm]

E 13-11/16" (348mm)

F 13-11/16" (348mm)

H 9-13/16" (250mm)

G 9-1/4" (235mm)

 $\bigcirc$ 

A 23-5/16" (592mm)

B 16-5/8" (422mm)

D 20-15/16" (532mm)

E 7-3/8" [187mm]

F 7-15/16" (202mm)

C 19" (482mm)

A1231

E 20" (508mm)

A2311

- D 15-9/16" (396mm)
- C 14" (356mm)



#### A3211

- C 13-1/4" [336mm] D 14-13/16" (376mm)
- A 18-3/16" (462mm) B 3-11/16" (94mm)

E 16-5/8" [422mm]

F 5-1/2" [139mm] G 6-1/8" (156mm)



- A3181
- LAVATORY SINKS / BASINS

37

- $\bigcirc$
- B3290
- F 7-1/16" (180mm)
- E 6-1/2" (165mm)
- D 10-3/8" (266mm)
- C 16-3/8" (416mm)
- A 12-13/16" [326mm] B 14" (356mm)



A1121

A 21-9/16" (548mm) B 3-3/8" (86mm)





## **PERFORMANCE PROPERTIES**

The information contained herein is provided by LOTTE ADVANCED MATERIALS Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE ADVANCED MATERIALS does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

| PROPERTY  | TEST RESULT                                    | TEST PROCEDURE                       |
|---|--|--------------------------------------|
| Tensile strength                                      | 6,000 psi                                      | ASTM D 638                           |
| Tensile modulus                                       | 600,000 psi                                    | ASTM D 638                           |
| Flexural strength                                     | 10,000 psi                                     | ASTM D 790                           |
| Flexural modulus                                      | 1,000,000 psi                                  | ASTM D 790                           |
| Elongation  | 0.5%   | ASTM D 638                           |
| Hardness  | 92 Rockwell "M" Scale<br>65 Barcol impressor   | ASTM D 785<br>ASTM D 2583            |
| Thermal expansion                                     | 2.0x1.0 <sup>-5</sup> in/in F <sup>o</sup>     | ASTM D 696                           |
| Gloss (60 Gardner)                                    | Between 5-20                                   | NEMA LD-3                            |
| Color stability                                       | No change-200hrs                               | NEMA LD-3                            |
| Stain resistance                                      | Passed<br>Rating 41                            | ANSIZ 124                            |
| Abrasion resistance                                   | Passed   | ANSIZ 124                            |
| Boiling water surface resistance                      | No effect                                      | NEMA LD-3                            |
| High temperature resistance                           | No effect                                      | NEMA LD-3                            |
| IZON Impact resistance (Notched)                      | 0.28ft. lbf/in                                 | ASTM D 256                           |
| Ball drop 1/2"<br>(12 mm) sheet                       | 144"w/1/2lb ball<br>No failure                 | NEMA LD-3                            |
| Fungi and Bacterial resistance                        | No growth                                      | ASTM G 21, G22                       |
| Specific gravity<br>Solid colors<br>Patterened colors | 1.72<br>1.69                                   | ASTM D 792                           |
| Water absorption                                      | 0.04%, [1/2", 24hrs]<br>0.11%, [1/8", 24hrs]   | ASTM D 570                           |
| Flammability<br>Flame spread<br>Smoke density         | Class A/Class 1<br>10<br>10                    | UBC 8-1<br>ASTM E 84<br>ASTM E 84    |
| Radiant heat resistance                               | No visual effect                               | NEMA LD-3                            |
| Toxicity  | 84.4g (Solid Color)<br>81.8g (Patterned Color) | Pittsburgh test protocol (LC50 Test) |

### PRODUCT DIMENSIONS

#### COLLECTION

Solid, Sanded, Aspen, Pebble, Quarry, Metallic, Tempest, Supreme

| THICKNESS    | WIDTH        | LENGTH          | THICKNESS   | WIDTH        | LENGTH         |
|--------------|--------------|-----------------|-------------|--------------|----------------|
| mm           | mm           | mm              | mm          | mm           | mm             |
| 12<br>(1/2") | 760<br>(30") | 3,680<br>(145") | 6<br>[1/4"] | 760<br>(30") | 2,500<br>(98") |

• Bright White with a wider width is available. Width of 1350mm with thickness of 12mm and 930mm with thickness of 9mm and 12mm are available.

• Panel thicknesses of 9mm and 19mm available on request.

W

• 6mm (1/4") thickness sheet is not recommended for horizontal application.

• If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

### STARON<sup>®</sup> 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application. For more details, please consult with your Staron products distributor, or visit <u>www.staron.com</u>

### DISCLAIMER

The information contained herein is provided by LOTTE ADVANCED MATERIALS Co., Ltd. and LOTTE ADVANCED MATERIALS USA Inc for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE ADVANCED MATERIALS Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions. LOTTE ADVANCED MATERIALS USA Inc is a subsidiary of LOTTE ADVANCED MATERIALS Co., Ltd.

### COLLECTION



Solid, Sanded, Aspen

